

GLR-U65 & GLR-U67

Storefront System

INSTALLATION GUIDE



grande
series




HSE REGULATIONS



Check List

- Personal **protective equipment**
- Work **tools**
- Tools **conditions**
- Safety **precautions**
- Cleanliness **area**

TOOLS & MATERIALS



Introduction

- The **GLR-U65 & U67** system is a storefront system.
- This guide illustrates the correct way to install the system
- Please follow all the steps carefully.
- If you have any questions, **please contact LINEA ROSSA**
- **This installation guide is intended as a general reference only.**

Extra Installation Notes

- Transport boxes with suitable support to avoid spoilage. If forklift is used, bind boxes when lifting or moving. Be especially careful about bumping.
- After all materials are received, in terms of quantity and quality should be checked, in case of any mismatch in shipment should be reported to the authority immediately.
- Installation instructions are of a general nature and will cover any conditions you may encounter. May not be covered. Shop drawings and/or assembly manuals specially prepared.
- If you have any questions about the installation, Please contact the official for clarification before proceeding

WARNING

Cleaning
Chemicals



Spot test is recommended before using any **cleaning agent and abrasive type cleaners should never be used.**


After the product is accepted and received by the contractor, any damage or **installation problems are no longer the responsibility of LINEA ROSSA.**

CONTENTS OF GLR-U65 & GLR-U67 PACKAGE



  **Make sure the following materials are included in the package**

Inspection



- The rough opening should be checked for the correct size as determined by dimensions listed in the architectural specifications an the shop drawings.
- Measure rough opening in several places to determine variations.
- Check all the material upon arrival for quantity and damage.

GLR-U65 & GLR-U67

Storefront System

INSTALLATION GUIDE




grande
series

STEP 1

First panel installation


- ✓ Check anchor installation from the shop drawings.
- ✓ Place the panel, Place the shim blocks.



STEP 2

First panel installation


- ✓ Screw with the screw in accordance with the shop drawing details.
- ✓ Seal the marked area and head of screw before placing the next panel.




STEP 3

Second panel installation

- ✓ You should start placing the second panel before the silicone in the marked area dries.



Move the second panel closer to the first panel.



- ✓ Tighten the mullions and screw them in and put on the nut.

• This installation guide is intended as a general reference only.

GLR-U65 & GLR-U67


Storefront System

INSTALLATION GUIDE



grande
series

STEP 4A




- ✓ Complete the rough assembly by repeating the same operations on the 3rd panel.



STEP 4B


Glazing bead assembly

- ✓ Place the glazing bead in appropriate dimensions.
- ✓ Put the gasket so that the glazing bead is stuck.



STEP 5A

- ✓ Apply silicone to the area marked as local.



GLR-U65 & GLR-U67

Storefront System


INSTALLATION GUIDE



grande
series

STEP 5B

Put the final covers



STEP 6

FINAL

- ✓ Complete the interior and exterior sealants between the mounting location and the unit as in the shop drawing.

